

**1 LEVEL 01 - OVERALL PLAN**  
1/8" = 1'-0"

STATE OF KENTUCKY APPROVAL

FLOOR PLAN GENERAL NOTES

- ALL INTERIOR WALL DIMENSIONS ARE TO FACE OF FRAMING (UNLESS NOTED OTHERWISE).
- PERIMETER DIMENSIONS ARE TO FACE OF MASONRY/FACE OF FOUNDATION (UNLESS NOTED OTHERWISE).
- WHERE APPLICABLE RESILIENT CHANNEL SHALL BE INSTALLED PER THE WALL TYPE ON THE CORRIDOR SIDE OF THE WALL. WHERE A CORRIDOR IS NOT INVOLVED THE LOCATION SIDE OF THE WALL TAG DETERMINES THE LOCATION SIDE OF THE RESILIENT CHANNEL AS SHOWN IN THE A120s ENLARGED PLANS EXPLICITLY. NOTIFY THE ARCHITECT IMMEDIATELY IF ANY DISCREPANCIES ARE DETERMINED.
- 1HR RATING IS REQUIRED AT LOAD BEARING WALLS & PRIMARY STEEL FRAME MEMBERS BETWEEN LEVELS 0 & LEVEL 2.
- SEE STRUCTURAL DRAWINGS FOR LOCATIONS OF ALL STEEL REINFORCING IN WALL & FLOOR CONSTRUCTION.
- SEE FINISH SCHEDULE FOR ADDITIONAL INFORMATION OF LOCATIONS AND TYPES OF FINISH MATERIALS.
- SEE ELEVATIONS AND STRUCTURAL DRAWINGS FOR LOCATIONS OF EXPANSION & CONTROL JOINTS. CONTRACTOR SHALL PROVIDE ADDITIONAL INTERIOR CONTROL JOINTS AS REQUIRED TO COMPLY WITH MAXIMUM SPACING REQUIREMENTS IN SPECIFICATIONS AND NATIONAL MASONRY INSTITUTE. SEE DETAILS ON G007.
- MECHANICAL & ELECTRICAL EQUIPMENT SHALL BE ON HOUSEKEEPING PADS. PADS ARE TO BE PROVIDED BY THE TRADE SUPPLYING THE EQUIPMENT. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. WORK TO BE COORDINATED THROUGH THE GENERAL TRADES CONTRACTOR. PADS 4" MIN. 4" THICK W/ W.F. (UNLESS NOTED OTHERWISE).
- REFER TO A800 SHEETS FOR TYPICAL UNIT PLANS, RCP'S & FINISHES.
- FOR UNIT DOORS REFER TO UNIT DOOR SCHEDULE ON SHEET A701. DOOR NUMBERS FOR UNIT ENTRY DOORS CORRESPOND WITH DOOR A/A1 ON UNIT DOOR SCHEDULE.

CODED NOTE LEGEND

- ALIGN FINISH FACE OF DEMISING WALL WITH FINISH FACE OF EXTERIOR WALL
- 2-HOUR RATED MECHANICAL SHAFT. SEE SHEETS A002, A003, & A131 SHAFT PLANS AND SECTIONS
- PROVIDE BLOCKING, POWER, DATA & HDMI FOR TV (F/OI) & MOUNTING BRACKET (F/OI). CONFIRM LOCATION WITH OWNER. SEE SHEET A809
- SLAB RECESS AT ROLL-IN SHOWERS. COORDINATE WITH SHOWER PLANS
- SLAB RECESS AT WALK OFF MAT. COORDINATE WITH MAT MFR.
- EDGE OF SLAB (E.O.S.) DIMENSIONS APPLY TO ALL FLOORS 2 - 6. SEE SHEET A003

RATED WALL LEGEND

- |  |  |
|--|--|
|  | 1 HOUR RATED FIRE PARTITION TO DECK                        |
|  | 1 HOUR RATED BEARING WALL AND FIRE RATED PARTITION TO DECK |
|  | 1 HOUR RATED BEARING WALL TO DECK                          |
|  | 1 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |
|  | 1 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |

KEY VALUE	KEYNOTE TEXT
-----------	--------------

#	DATE	CHANGE DESCRIPTION

**NKU**  
NORTHERN KENTUCKY UNIVERSITY

**NEW RESIDENCE HALL**  
KENTON DRIVE & CARROLL DRIVE  
HIGHLAND HEIGHTS, KY 41099  
FOR  
**NORTHERN KENTUCKY UNIVERSITY**

**MOODY•NOLAN**

434 MADISON AVENUE  
COVINGTON, KY 41011

PHONE: (859) 957-1277  
FAX: (859) 957-1280

**LORD AECK SARGENT**  
A WATERBURY COMPANY

269 W Main St.  
Suite 500  
Lexington, KY 40507 USA  
877-929-1400  
www.lordaacksargent.com

DRAWING TITLE:  
**LEVEL 01 FLOOR PLAN - OVERALL**


**JANUARY 30, 2020**

DRAWN BY: xxx CHECKED BY: DCB

#18237

**A101**

BID & PERMIT SUBMITTAL



**1 LEVEL 02 - OVERALL PLAN**  
1/8" = 1'-0"

STATE OF KENTUCKY APPROVAL

FLOOR PLAN GENERAL NOTES

- ALL INTERIOR WALL DIMENSIONS ARE TO FACE OF FRAMING (UNLESS NOTED OTHERWISE).
- PERIMETER DIMENSIONS ARE TO FACE OF MASONRY/FACE OF FOUNDATION (UNLESS NOTED OTHERWISE).
- WHERE APPLICABLE RESILIENT CHANNEL SHALL BE INSTALLED PER THE WALL TYPE ON THE CORRIDOR SIDE OF THE WALL WHERE A CORRIDOR IS NOT INVOLVED THE LOCATION SIDE OF THE WALL TAG DETERMINES THE LOCATION SIDE OF THE RESILIENT CHANNEL AS SHOWN IN THE A120s ENLARGED PLANS EXPLICITLY. NOTIFY THE ARCHITECT IMMEDIATELY IF ANY DISCREPANCIES ARE DETERMINED.
- 1HR RATING IS REQUIRED AT LOAD BEARING WALLS & PRIMARY STEEL FRAME MEMBERS BETWEEN LEVELS 0 & LEVEL 2.
- SEE STRUCTURAL DRAWINGS FOR LOCATIONS OF ALL STEEL REINFORCING IN WALL & FLOOR CONSTRUCTION.
- SEE FINISH SCHEDULE FOR ADDITIONAL INFORMATION OF LOCATIONS AND TYPES OF FINISH MATERIALS.
- SEE ELEVATIONS AND STRUCTURAL DRAWINGS FOR LOCATIONS OF EXPANSION & CONTROL JOINTS. CONTRACTOR SHALL PROVIDE ADDITIONAL INTERIOR CONTROL JOINTS AS REQUIRED TO COMPLY WITH MAXIMUM SPACING REQUIREMENTS IN SPECIFICATIONS AND NATIONAL MASONRY INSTITUTE. SEE DETAILS ON G007.
- MECHANICAL & ELECTRICAL EQUIPMENT SHALL BE ON HOUSEKEEPING PADS. PADS ARE TO BE PROVIDED BY THE TRADE SUPPLYING THE EQUIPMENT. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. WORK TO BE COORDINATED THROUGH THE GENERAL TRADES CONTRACTOR. PADS 4" MIN. 4" THICK W/W.F. (UNLESS NOTED OTHERWISE).
- REFER TO A800 SHEETS FOR TYPICAL UNIT PLANS, RCP'S & FINISHES.
- FOR UNIT DOORS REFER TO UNIT DOOR SCHEDULE ON SHEET A701. DOOR NUMBERS FOR UNIT ENTRY DOORS CORRESPOND WITH DOOR A/A1 ON UNIT DOOR SCHEDULE.

CODED NOTE LEGEND

- ALIGN FINISH FACE OF DEMISING WALL WITH FINISH FACE OF EXTERIOR WALL.
- 2-HOUR RATED MECHANICAL SHAFT. SEE SHEETS A002, A003, & A131 SHAFT PLANS AND SECTIONS.
- PROVIDE BLOCKING, POWER, DATA & HDMI FOR TV (F/O/I) & MOUNTING BRACKET (F/O/I). CONFIRM LOCATION WITH OWNER. SEE SHEET A809.
- SLAB RECESS AT ROLL-IN SHOWERS. COORDINATE WITH SHOWER PLANS.
- SLAB RECESS AT WALK OFF MAT. COORDINATE WITH MAT MFR.
- EDGE OF SLAB (E.O.S.) DIMENSIONS APPLY TO ALL FLOORS 2 - 6. SEE SHEET A003.

RATED WALL LEGEND

- |  |  |
|--|--|
|  | 1 HOUR RATED FIRE PARTITION TO DECK                        |
|  | 1 HOUR RATED BEARING WALL AND FIRE RATED PARTITION TO DECK |
|  | 1 HOUR RATED BEARING WALL TO DECK                          |
|  | 1 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |
|  | 1 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |

KEY VALUE	KEYNOTE TEXT
-----------	--------------

#	DATE	CHANGE DESCRIPTION

**NEW RESIDENCE HALL**  
KENTON DRIVE & CARROLL DRIVE  
HIGHLAND HEIGHTS, KY 41099  
FOR  
**NORTHERN KENTUCKY UNIVERSITY**


434 MADISON AVENUE  
COVINGTON, KY 41011  
PHONE: (859) 957-1277  
FAX: (859) 957-1280

269 W Main St.  
Suite 500  
Lexington, KY 40507 USA  
877-929-1400  
www.lordaecksargent.com

DRAWING TITLE:  
**LEVEL 02 FLOOR PLAN - OVERALL**

**JANUARY 30, 2020**  
DRAWN BY: xxx  
CHECKED BY: DCB  
#18237  
**A102**  
BID & PERMIT SUBMITTAL





**1 LEVEL 03 - OVERALL PLAN**  
1/8" = 1'-0"

**STATE OF KENTUCKY APPROVAL**

**FLOOR PLAN GENERAL NOTES**

1. ALL INTERIOR WALL DIMENSIONS ARE TO FACE OF FRAMING (UNLESS NOTED OTHERWISE).
2. PERIMETER DIMENSIONS ARE TO FACE OF MASONRY/FACE OF FOUNDATION (UNLESS NOTED OTHERWISE).
3. WHERE APPLICABLE RESILIENT CHANNEL SHALL BE INSTALLED PER THE WALL TYPE ON THE CORRIDOR SIDE OF THE WALL WHERE A CORRIDOR IS NOT INVOLVED THE LOCATION SIDE OF THE WALL TAG DETERMINES THE LOCATION SIDE OF THE RESILIENT CHANNEL AS SHOWN IN THE A120s ENLARGED PLANS EXPLICITLY. NOTIFY THE ARCHITECT IMMEDIATELY IF ANY DISCREPANCIES ARE DETERMINED.
4. 1HR RATING IS REQUIRED AT LOAD BEARING WALLS & PRIMARY STEEL FRAME MEMBERS BETWEEN LEVELS 0 & LEVEL 2.
5. SEE STRUCTURAL DRAWINGS FOR LOCATIONS OF ALL STEEL REINFORCING IN WALL & FLOOR CONSTRUCTION.
6. SEE FINISH SCHEDULE FOR ADDITIONAL INFORMATION OF LOCATIONS AND TYPES OF FINISH MATERIALS.
7. SEE ELEVATIONS AND STRUCTURAL DRAWINGS FOR LOCATIONS OF EXPANSION & CONTROL JOINTS. CONTRACTOR SHALL PROVIDE ADDITIONAL INTERIOR CONTROL JOINTS AS REQUIRED TO COMPLY WITH MAXIMUM SPACING REQUIREMENTS IN SPECIFICATIONS AND NATIONAL MASONRY INSTITUTE. SEE DETAILS ON G007.
8. MECHANICAL & ELECTRICAL EQUIPMENT SHALL BE ON HOUSEKEEPING PADS. PADS ARE TO BE PROVIDED BY THE TRADE SUPPLYING THE EQUIPMENT. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. WORK TO BE COORDINATED THROUGH THE GENERAL TRADES CONTRACTOR. PADS 4" MIN. 4" THICK W/ W.F.F. (UNLESS NOTED OTHERWISE).
9. REFER TO A800 SHEETS FOR TYPICAL UNIT PLANS, RCP'S & FINISHES.
10. FOR UNIT DOORS REFER TO UNIT DOOR SCHEDULE ON SHEET A701. DOOR NUMBERS FOR UNIT ENTRY DOORS CORRESPOND WITH DOOR A/A1 ON UNIT DOOR SCHEDULE.

**CODED NOTE LEGEND**

- 1 ALIGN FINISH FACE OF DEMISING WALL WITH FINISH FACE OF EXTERIOR WALL
- 2 2-HOUR RATED MECHANICAL SHAFT. SEE SHEETS A002, A003, & A131 SHAFT PLANS AND SECTIONS
- 3 PROVIDE BLOCKING, POWER, DATA & HDMI FOR TV (F/O/I) & MOUNTING BRACKET (F/O/I). CONFIRM LOCATION WITH OWNER. SEE SHEET A009
- 4 SLAB RECESS AT ROLL-IN SHOWERS. COORDINATE WITH SHOWER PLANS
- 5 SLAB RECESS AT WALK OFF MAT. COORDINATE WITH MAT MFR.
- 6 EDGE OF SLAB (E.O.S.) DIMENSIONS APPLY TO ALL FLOORS 2 - 6. SEE SHEET A003

**RATED WALL LEGEND**


- |  |  |
|--|--|
|  | 1 HOUR RATED FIRE PARTITION TO DECK                        |
|  | 1 HOUR RATED BEARING WALL AND FIRE RATED PARTITION TO DECK |
|  | 1 HOUR RATED BEARING WALL TO DECK                          |
|  | 1 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |
|  | 1 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |

KEY VALUE	KEYNOTE TEXT
-----------	--------------

#	DATE	CHANGE DESCRIPTION



**NEW RESIDENCE HALL**  
KENTON DRIVE & CARROLL DRIVE  
HIGHLAND HEIGHTS, KY 41099  
FOR  
**NORTHERN KENTUCKY UNIVERSITY**




434 MADISON AVENUE  
COVINGTON, KY 41011  
PHONE: (859) 957-1277  
FAX: (859) 957-1280





**LORD AECK SARGENT**  
A WATERBURY COMPANY  
269 W Main St.  
Suite 500  
Lexington, KY 40507 USA  
877-929-1400  
www.lordaecksargent.com

DRAWING TITLE:  
**LEVEL 03 FLOOR PLAN - OVERALL**



JANUARY 30, 2020	
DRAWN BY: xxx	CHECKED BY: DCB
#18237	
<b>A103</b>	
BID & PERMIT SUBMITTAL	





**1 LEVEL 04 - OVERALL PLAN**  
1/8" = 1'-0"

**STATE OF KENTUCKY APPROVAL**

**FLOOR PLAN GENERAL NOTES**

- ALL INTERIOR WALL DIMENSIONS ARE TO FACE OF FRAMING (UNLESS NOTED OTHERWISE).
- PERIMETER DIMENSIONS ARE TO FACE OF MASONRY/FACE OF FOUNDATION (UNLESS NOTED OTHERWISE).
- WHERE APPLICABLE RESILIENT CHANNEL SHALL BE INSTALLED PER THE WALL TYPE ON THE CORRIDOR SIDE OF THE WALL WHERE A CORRIDOR IS NOT INVOLVED THE LOCATION SIDE OF THE WALL TAG DETERMINES THE LOCATION SIDE OF THE RESILIENT CHANNEL AS SHOWN IN THE A120s ENLARGED PLANS EXPLICITLY. NOTIFY THE ARCHITECT IMMEDIATELY IF ANY DISCREPANCIES ARE DETERMINED.
- 1HR RATING IS REQUIRED AT LOAD BEARING WALLS & PRIMARY STEEL FRAME MEMBERS BETWEEN LEVELS 0 & LEVEL 2.
- SEE STRUCTURAL DRAWINGS FOR LOCATIONS OF ALL STEEL REINFORCING IN WALL & FLOOR CONSTRUCTION.
- SEE FINISH SCHEDULE FOR ADDITIONAL INFORMATION OF LOCATIONS AND TYPES OF FINISH MATERIALS.
- SEE ELEVATIONS AND STRUCTURAL DRAWINGS FOR LOCATIONS OF EXPANSION & CONTROL JOINTS. CONTRACTOR SHALL PROVIDE ADDITIONAL INTERIOR CONTROL JOINTS AS REQUIRED TO COMPLY WITH MAXIMUM SPACING REQUIREMENTS IN SPECIFICATIONS AND NATIONAL MASONRY INSTITUTE. SEE DETAILS ON G007.
- MECHANICAL & ELECTRICAL EQUIPMENT SHALL BE ON HOUSEKEEPING PADS. PADS ARE TO BE PROVIDED BY THE TRADE SUPPLYING THE EQUIPMENT. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. WORK TO BE COORDINATED THROUGH THE GENERAL TRADES CONTRACTOR. PADS 4" MIN. 4" THICK W/ W.F. UNLESS NOTED OTHERWISE.
- REFER TO A800 SHEETS FOR TYPICAL UNIT PLANS, RCP'S & FINISHES.
- FOR UNIT DOORS REFER TO UNIT DOOR SCHEDULE ON SHEET A701. DOOR NUMBERS FOR UNIT ENTRY DOORS CORRESPOND WITH DOOR A/A1 ON UNIT DOOR SCHEDULE.

**CODED NOTE LEGEND**

- ALIGN FINISH FACE OF DEMISING WALL WITH FINISH FACE OF EXTERIOR WALL
- 2-HOUR RATED MECHANICAL SHAFT. SEE SHEETS A002, A003, & A131 SHAFT PLANS AND SECTIONS
- PROVIDE BLOCKING, POWER, DATA & HDMI FOR TV (F/O/I) & MOUNTING BRACKET (F/O/I). CONFIRM LOCATION WITH OWNER. SEE SHEET A809
- SLAB RECESS AT ROLL-IN SHOWERS. COORDINATE WITH SHOWER PLANS
- SLAB RECESS AT WALK OFF MAT. COORDINATE WITH MAT MFR.
- EDGE OF SLAB (E.O.S.) DIMENSIONS APPLY TO ALL FLOORS 2 - 6. SEE SHEET A003

**RATED WALL LEGEND**

- |  |  |
|--|--|
|  | 1 HOUR RATED FIRE PARTITION TO DECK                        |
|  | 1 HOUR RATED BEARING WALL AND FIRE RATED PARTITION TO DECK |
|  | 1 HOUR RATED BEARING WALL TO DECK                          |
|  | 1 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |
|  | 1 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |

KEY VALUE	KEYNOTE TEXT
-----------	--------------


#	DATE	CHANGE DESCRIPTION

**NKU**  
NEW RESIDENCE HALL  
KENTON DRIVE & CARROLL DRIVE  
HIGHLAND HEIGHTS, KY 41099  
FOR  
**NORTHERN KENTUCKY UNIVERSITY**


**MOODY•NOLAN**  
434 MADISON AVENUE  
COVINGTON, KY 41011  
PHONE: (859) 957-1277  
FAX: (859) 957-1280

**LORD AECK SARGENT**  
A WATERARA COMPANY  
269 W Main St.  
Suite 500  
Lexington, KY 40507 USA  
877-929-1400  
www.lordaecksargent.com

DRAWING TITLE:  
**LEVEL 04 FLOOR PLAN - OVERALL**

	JANUARY 30, 2020	
	DRAWN BY: Author	CHECKED BY: DC
	#18237	
	<b>A104</b>	
	BID & PERMIT SUBMITTAL	





**1 LEVEL 05 - OVERALL PLAN**  
1/8" = 1'-0"

**STATE OF KENTUCKY APPROVAL**

**FLOOR PLAN GENERAL NOTES**

1. ALL INTERIOR WALL DIMENSIONS ARE TO FACE OF FRAMING (UNLESS NOTED OTHERWISE).
2. PERIMETER DIMENSIONS ARE TO FACE OF MASONRY/FACE OF FOUNDATION (UNLESS NOTED OTHERWISE).
3. WHERE APPLICABLE RESILIENT CHANNEL SHALL BE INSTALLED PER THE WALL TYPE ON THE CORRIDOR SIDE OF THE WALL WHERE A CORRIDOR IS NOT INVOLVED THE LOCATION SIDE OF THE WALL TAG DETERMINES THE LOCATION SIDE OF THE RESILIENT CHANNEL AS SHOWN IN THE A120s ENLARGED PLANS EXPLICITLY. NOTIFY THE ARCHITECT IMMEDIATELY IF ANY DISCREPANCIES ARE DETERMINED.
4. 1HR RATING IS REQUIRED AT LOAD BEARING WALLS & PRIMARY STEEL FRAME MEMBERS BETWEEN LEVELS 0 & LEVEL 2.
5. SEE STRUCTURAL DRAWINGS FOR LOCATIONS OF ALL STEEL REINFORCING IN WALL & FLOOR CONSTRUCTION.
6. SEE FINISH SCHEDULE FOR ADDITIONAL INFORMATION OF LOCATIONS AND TYPES OF FINISH MATERIALS.
7. SEE ELEVATIONS AND STRUCTURAL DRAWINGS FOR LOCATIONS OF EXPANSION & CONTROL JOINTS. CONTRACTOR SHALL PROVIDE ADDITIONAL INTERIOR CONTROL JOINTS AS REQUIRED TO COMPLY WITH MAXIMUM SPACING REQUIREMENTS IN SPECIFICATIONS AND NATIONAL MASONRY INSTITUTE. SEE DETAILS ON G007.
8. MECHANICAL & ELECTRICAL EQUIPMENT SHALL BE ON HOUSEKEEPING PADS. PADS ARE TO BE PROVIDED BY THE TRADE SUPPLYING THE EQUIPMENT. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. WORK TO BE COORDINATED THROUGH THE GENERAL TRADES CONTRACTOR. PADS 4" MIN. 4" THICK W/ W.F. (UNLESS NOTED OTHERWISE).
9. REFER TO A800 SHEETS FOR TYPICAL UNIT PLANS, RCP'S & FINISHES.
10. FOR UNIT DOORS REFER TO UNIT DOOR SCHEDULE ON SHEET A701. DOOR NUMBERS FOR UNIT ENTRY DOORS CORRESPOND WITH DOOR A/A1 ON UNIT DOOR SCHEDULE.

**CODED NOTE LEGEND**

- 1 ALIGN FINISH FACE OF DEMISING WALL WITH FINISH FACE OF EXTERIOR WALL.
- 2 2-HOUR RATED MECHANICAL SHAFT. SEE SHEETS A002, A003, & A131 SHAFT PLANS AND SECTIONS.
- 3 PROVIDE BLOCKING, POWER, DATA & HDMI FOR TV (FOU) & MOUNTING BRACKET (FOU). CONFIRM LOCATION WITH OWNER. SEE SHEET A809.
- 4 SLAB RECESS AT ROLL-IN SHOWERS. COORDINATE WITH SHOWER PLANS.
- 5 SLAB RECESS AT WALK OFF MAT. COORDINATE WITH MAT MFR.
- 6 EDGE OF SLAB (E.O.S.) DIMENSIONS APPLY TO ALL FLOORS 2 - 5. SEE SHEET A003.

**RATED WALL LEGEND**

- |  |  |
|--|--|
|  | 1 HOUR RATED FIRE PARTITION TO DECK                        |
|  | 1 HOUR RATED BEARING WALL AND FIRE RATED PARTITION TO DECK |
|  | 1 HOUR RATED BEARING WALL TO DECK                          |
|  | 1 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |
|  | 1 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER TO DECK                          |
|  | 2 HOUR RATED FIRE BARRIER AND BEARING WALL TO DECK         |

KEY VALUE	KEYNOTE TEXT
-----------	--------------

#	DATE	CHANGE DESCRIPTION

**NKU**  
NEW RESIDENCE HALL  
KENTON DRIVE & CARROLL DRIVE  
HIGHLAND HEIGHTS, KY 41099  
FOR  
**NORTHERN KENTUCKY UNIVERSITY**

**MOODY•NOLAN**  
434 MADISON AVENUE  
COVINGTON, KY 41011  
PHONE: (859) 957-1277  
FAX: (859) 957-1280

**LORD AECK SARGENT**  
A WATERBURY COMPANY  
269 W Main St.  
Suite 500  
Lexington, KY 40507 USA  
877-929-1400  
www.lordaacksargent.com

DRAWING TITLE:  
**LEVEL 05 FLOOR PLAN - OVERALL**

	JANUARY 30, 2020	
	DRAWN BY: Author	CHECKED BY: DCB
	#18237	
	<b>A105</b>	
BID & PERMIT SUBMITTAL		

